# Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/IL2006/000015

International filing date:

04 January 2006 (04.01.2006)

Document type:

Certified copy of priority document

Document details:

Country/Office: US

Number:

60/641,081

Filing date:

04 January 2005 (04.01.2005)


Date of receipt at the International Bureau: 17 January 2006 (17.01.2006)

Remark: Priority document submitted or transmitted to the International Bureau in

compliance with Rule 17.1(a) or (b)



World Intellectual Property Organization (WIPO) - Geneva, Switzerland Organisation Mondiale de la Propriété Intellectuelle (OMPI) - Genève, Suisse



TO ALL TO WHOM THESE; PRESENTS SHALL COME; UNITED STATES DEPARTMENT OF COMMERCE

**United States Patent and Trademark Office** 

October 26, 2005

THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY FROM THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK OFFICE OF THOSE PAPERS OF THE BELOW IDENTIFIED PATENT APPLICATION THAT MET THE REQUIREMENTS TO BE GRANTED A FILING DATE UNDER 35 USC 111.

APPLICATION NUMBER: 60/641,081 FILING DATE: January 04, 2005

THE COUNTRY CODE AND NUMBER OF YOUR PRIORITY APPLICATION, TO BE USED FOR FILING ABROAD UNDER THE PARIS **CONVENTION, IS** *US60/641,081* 

By Authority of the

**Under Secretary of Commerce for Intellectual Property** and Director of the United States Patent and Trademark Office

**Certifying Officer** 

Approved for use through 01/31/98, OMB 0651-0037
Patent and Trademark Office: US DEPARTMENT OF COMMERCE

## PROVISIONAL APPLICATION FOR PATENT COVER SHEET This is a request for filing a PROVISIONAL APPLICATION FOR PATENT under 37 CFR 1.53

ı							
Ŧ	·	<u> </u>	Docket Number		28959	Type a plus sign (+) inside this box ->	
r			INVENTOR(s)	/ APPLICA			
ŀ	LAST NAME	FIRST NAM	TE MIDDLE INITE	L RESIL	ENCE (CITY AND EITHE	R STATE OR FOREIGN COUNTRY	
١.	HASHIMSHONY	Dan		Givat	Ada, Israel	A STATE OR FOREIGN COUNTRY	
				[. '			
_		TITL	E OF THE INVEN	TION (2RO	heracters may)		
	DEVICE AND	THE HOD'TO	W TISSUE CHAR	ACTERI2	ATTON IN A DO	DY LUMEN, BY AN	
_	·	ENDO	SCOPIC ELECT	ROMAGN	WITC PRORE	of Lumen, by an	
ENDOSCOPIC ELECTROMAGNETIC PROBE  CORRESPONDENCE ADDRESS							
		Mar	tin Moynihan		74000	<u>.</u>	
	•						
		2001	NTHONY CAST JEFFERSON DA	VIS HIGH	(WAY		
=		SUL	TE 207	· D ALLOL		•	
:	STATE VII	RGINIA	ZIP CODE	22202	COUNTR	V 1.	
		This can			2007174	Y USA	
Ī		ENCLA	OSED APPLICATION	PARTS (ch	eck all that apply)	·	
	13 pages of sp	ecification (iz	cluding Abstract	nagel	Assignment	to.	
	<u></u>			1.80	worknment	iu:	
•				<del></del>	72		
		uence listing			21 Claim	8 .	
	5 sheets of dra	wince				· · · · · · · · · · · · · · · · · · ·	
:		. мица .		· · /	Applicant is entitled to Small Entity		
	18_ total page	a			Status under 37 CF	R.1.9 and 37 CFR 1.27	
		· ·	· · · ·				
	THE	FILING FEE	HAS BEEN CAL	CULATE	D.AS SHOWN BE	LOW:	
	FOR:		SMALL	ENTITY	Y OTHER THAN A SMALL ENTITY		
-			RATE	FEE	RATE	FEE	
1	rovisional Application	Filing Fee	. 1	\$ 100		\$ 200	
,	rovisional Application	Size Fee	0 x \$ 125	<del> </del>	<del> </del>		
	er 50 Pages Over 100)		0 x \$ 125	<b>.</b> \$	x \$250	\$	
			TOTAL	.0.000			
			1 1 1 2 2 A 5	<u>\$ 100</u>	TOTAL	<u>\$</u>	
			10170				
				<del>' : : -</del>		<del></del>	
	METHOD OF PAYM	ENT OF FILING	TERS FOR THE	ROVISIONA	L APPLICATION FO	PR PATENT	
	METHOD OF PAYM Authorization to charge the 38 is attached herewith. In	ENT OF FILING	FEES FOR THIS PR	ROVISIONA d number list	L APPLICATION FO	R PATENT it Card Payment Form PTO-	
	38 is attached herewith. In	the event addition:	FEES FOR THIS PI	d number list	ed on the attached Cred	it Card Payment Form PTO-	
	38 is attached herewith. In likely event payment by the	the event additional Credit Card issues	G FEES FOR THIS PF f \$100 to the Credit Car al fees are required, ples is refused, please char	d number list se charge the ge the filing fo	ed on the attached Cred se additional fees to De se of \$100 to Deposit A	it Card Payment Form PTO- posit Account 50-1407. In the ecount 50-1407.	
	38 is attached herewith. In the likely event payment by the invention was made by an	the event additional Credit Card issues	G FEES FOR THIS PF f \$100 to the Credit Car al fees are required, ples is refused, please char	d number list se charge the ge the filing fo	ed on the attached Cred se additional fees to De se of \$100 to Deposit A	it Card Payment Form PTO- posit Account 50-1407. In the ecount 50-1407.	
	38 is attached herewith. In (likely event payment by the invention was made by an	the event addition: Credit Card issues agency of the Uni	FEES FOR THIS PR f \$100 to the Credit Car al fees are required, please char is refused, please char ted States Government	or under a cor	ed on the attached Cred se additional fees to De se of \$100 to Deposit A	it Card Payment Form PTO-	
	is attached herewith. In likely event payment by the invention was made by an No Yes, the n	the event additional Credit Card issued agency of the Uni	G FEES FOR THIS PF f \$100 to the Credit Car al fees are required, ples is refused, please char	or under a cor	ed on the attached Cred se additional fees to De se of \$100 to Deposit A	it Card Payment Form PTO- posit Account 50-1407. In the ecount 50-1407.	
	38 is attached herewith. In likely event payment by the invention was made by an No Yes, the n	the event additional Credit Card issued agency of the Uni	FEES FOR THIS PR f \$100 to the Credit Car al fees are required, please char is refused, please char ted States Government	or under a cor	ed on the attached Cred se additional fees to De- se of \$100 to Deposit A attact with an agency of	it Card Payment Form PTO- posit Account 50-1407. In the ecount 50-1407.	
	38 is attached herewith. In likely event payment by the invention was made by an No Yes, the nespectfully submitted,	the event additions Credit Card issues agency of the Uni ame of the US Go	FRES FOR THIS PR f \$100 to the Credit Car al fees are required, plea is refused, please chan ted States Government vernment agency and the	or under a cor	ed on the attached Cred se additional fees to De, se of \$100 to Deposit A stract with an agency of it contract number are:	it Card Payment Form PTO- posit Account 50-1407. In the ecount 50-1407.	
	38 is attached herewith. In a likely event payment by the invention was made by an No Yes, the nespectfully submitted,	the event additions Credit Card issues agency of the Uni ame of the US Go	FRES FOR THIS PR f \$100 to the Credit Car al fees are required, plea is refused, please chan ted States Government vernment agency and the	or under a cor	ed on the attached Cred se additional fees to De- se of \$100 to Deposit A attact with an agency of	it Card Payment Form PTO- posit Account 50-1407. In the ecount 50-1407.	
	38 is attached herewith. In a likely event payment by the invention was made by an No Yes, the nespectfully submitted,	the event additions Credit Card issues agency of the Uni ame of the US Go	FRES FOR THIS PR f \$100 to the Credit Car al fees are required, plea is refused, please chan ted States Government vernment agency and the	to number list use charge the ge the filing for under a corunder a corunder a corunder a Covernment	ed on the attached Cred se additional fees to De, se of \$100 to Deposit A stract with an agency of it contract number are:	it Card Payment Form PTO- posit Account 50-1407. In the ecount 50-1407.	
	38 is attached herewith. In (likely event payment by the invention was made by an	the event additions Credit Card issues agency of the Uni ame of the US Go	FRES FOR THIS PR f \$100 to the Credit Car al fees are required, plea is refused, please chan ted States Government vernment agency and the	to number list use charge the ge the filing for under a corunder a corunder a corunder a Covernment	ed on the attached Cred se additional fees to De- se of \$100 to Deposit A stract with an agency of at contract number are:	it Card Payment Form PTO- posit Account 50-1407. In the ccount 50-1407.  the United States Government.	
	38 is attached herewith. In likely event payment by the invention was made by an No Yes, the nespectfully submitted,	the event additions Credit Card issues agency of the Uni ame of the US Go	FRES FOR THIS PR f \$100 to the Credit Car al fees are required, plea is refused, please chan ted States Government vernment agency and the	to number list use charge the ge the filing for under a corunder a corunder a corunder a Covernment	ed on the attached Cred se additional fees to De- se of \$100 to Deposit A stract with an agency of at contract number are:	it Card Payment Form PTO- posit Account 50-1407. In the ecount 50-1407.	
	38 is attached herewith. In likely event payment by the invention was made by an No Yes, the nespectfully submitted,	the event additions Credit Card issues agency of the Uni ame of the US Go	FEES FOR THIS PARTS AND THE STATE OF T	to number list use charge the ge the filing for under a corunder a corunder a corunder a Covernment	ed on the attached Cred se additional fees to De se of \$100 to Deposit A stract with an agency of at contract number are:	it Card Payment Form PTO- posit Account 50-1407. In the ccount 50-1407.  the United States Government.	
	is attached herewith. In likely event payment by the invention was made by an No Yes, the nespectfully submitted,	the event additions Credit Card issues agency of the Uni ame of the US Go	FEES FOR THIS PR f \$100 to the Credit Car al fees are required, please chan ted States Government vernment agency and it	to number ists use charge the ge the filing for under a contract the Government of Ja	ed on the attached Cred se additional fees to De, se of \$100 to Deposit A stract with an agency of at contract number are: nuary 2005.  Date	it Card Payment Form PTO- posit Account 50-1407. In the ccount 50-1407.  the United States Government.  40,338  REGISTRATION NO.	
	is attached herewith. In likely event payment by the invention was made by an No Yes, the nespectfully submitted,	the event additions Credit Card issues agency of the Uni ame of the US Go	FEES FOR THIS PR f \$100 to the Credit Car al fees are required, please chan ted States Government vernment agency and it	to number ists use charge the ge the filing for under a contract the Government of Ja	ed on the attached Cred se additional fees to De, se of \$100 to Deposit A stract with an agency of at contract number are: nuary 2005.  Date	it Card Payment Form PTO- posit Account 50-1407. In the ccount 50-1407.  the United States Government.	
	38 is attached herewith. In likely event payment by the invention was made by an No Yes, the nespectfully submitted,	the event additions Credit Card issues agency of the Uni ame of the US Go	FEES FOR THIS PR f \$100 to the Credit Car al fees are required, please chan ted States Government vernment agency and it	to number ists use charge the ge the filing for under a contract the Government of Ja	ed on the attached Cred se additional fees to De, se of \$100 to Deposit A stract with an agency of at contract number are: nuary 2005.  Date	it Card Payment Form PTO- posit Account 50-1407. In the ccount 50-1407.  the United States Government.  40,338  REGISTRATION NO.	
	ds is attached herewith. In likely event payment by the invention was made by an No Yes, the nespectfully submitted,  GNATURE	the event additions Credit Card issues agency of the Uni ame of the US Go  ME	FEES FOR THIS PA f \$100 to the Credit Car al fees are required, please chan ted States Government vernment agency and it  Moynihan d on separately num	to number ists use charge the gethe filing for under a conse Government 4 Ja	ed on the attached Cred se additional fees to De se of \$100 to Deposit A stract with an agency of at contract number are:  nuary 2005.  Date  (if  (if)	it Card Payment Form PTO- posit Account 50-1407. In the ccount 50-1407.  the United States Government.  40,338  REGISTRATION NO.  Tappropriate)	
	is attached herewith. In likely event payment by the invention was made by an No Yes, the nespectfully submitted,  GNATURE	the event additions Credit Card issues agency of the Uni ame of the US Go  ME	FEES FOR THIS PARTS AND	to number list issee charge the ge the filing for under a control or under a control of the Government	ed on the attached Cred se additional fees to De se of \$100 to Deposit A stract with an agency of at contract number are:  nuary 2005.  Date  If the second is attached hereto PLICATION F.	it Card Payment Form PTO- posit Account 50-1407. In the account 50-1407.  The United States Government.  40,338  REGISTRATION NO.  Tappropriate)  FOR PATENT	
	is attached herewith. In likely event payment by the invention was made by an No Yes, the nespectfully submitted,  GNATURE	the event additions. Credit Card issues agency of the Unitaries of the US Go  ME	FEES FOR THIS PR f \$100 to the Credit Car al fees are required, please chan ted States Government vernment agency and the  Moynihan d on separately num  A PROVISIO  Complete, Time will vary de	to number list is see charge the get the filing for under a contact of the Government of the Governmen	ed on the attached Cred se additional fees to De se of \$100 to Deposit A stract with an agency of at contract number are:  nuary 2005.  Date  PLICATION F.  Deeds of the individual case.	it Card Payment Form PTO- posit Account 50-1407. In the ccount 50-1407.  the United States Government.  40,338  REGISTRATION NO. appropriate)	

### APPLICATION FOR PATENT

Inventor:

Dan HASHIMSHONY

Title:

Device and Method for Tissue Characterization in a Body Lumen, by an Endoscopic Electromagnetic Probe

10

### FIELD AND BACKGROUND OF THE INVENTION

The present invention relates to a device and method for tissue characterization in a body lumen, for the detection of abnormalities, using an electromagnetic probe, mounted on an endoscope.

The impact of cancer of the gastrointestinal tract is grave. In spite of enormous expenditures of financial and human resources, early detection of malignant tumors remains an unfulfilled medical goal. While it is known that a number of cancers are treatable if detected at an early stage, lack of reliable screening procedures results in their being undetected and untreated.

Various forms of endoscopes are currently in use. For example, diagnosis of different conditions of the colon generally involves using a colonoscope. A typical colonoscope includes, at its distal end, with respect to an operator, a light source, a video chip, and a suction channel. These elements are all in communication with a proximal end of the colonoscope via wires and channels housed within a flexible tube. The distal end is inserted into a patient's rectum and can be maneuvered along the length of the colon. A colonoscope can be inserted far enough into a patient's colon for the distal end to enter the patient's cecum. The tip of the colonoscope can also be maneuvered through the ileo-cecal valve into the terminal ileum.

A colonoscope provides a visual image only of the region of the colon that is immediately near the light source and video chip, yielding visual information for only a small region of the colon at any given time. Lesions in a patient's colon typically are identified by progressive and painstaking visual examination of the entire colon. However, a single colonoscopy is often not sufficient to identify the source of

2

colorectal bleeding which is typically sporadic and in many cases would be best located by observing the entire color over a period of time.

Various attachments to a colonoscope allow small surgical procedures, such as tissue biopsies, to be carried out during a colonoscopic examination.

Endoscopy of the small intestine is also known. For example, U.S. Patent 5,984, 860, to Shan, entitled, "Pass-through duodenal enteroscopic device," whose disclosure is incorporated herein by reference, describes a tethered ingestible, enteroscopic video camera, which utilizes the natural contraction wave of the small intestine to propel it through the small intestine at about the same speed as any other object therein. The video camera includes an illumination source at its forward end. Covering the camera lens and illumination source is a transparent inflatable balloon, adapted to gently expand the small intestine immediately forward the camera for better viewing. A small diameter communication and power cable unwinds through an aperture in the rear of the camera as it moves through the small intestine. Upon completion of movement through the small intestine the cable is automatically separated, permitting the cable to be withdrawn through the stomach and intestine. The camera continues through the large intestine and passes from the patient through the rectum.

The aforementioned endoscopes, while providing means to access and visualize portions of the gastrointestinal track, do not provide means of detecting gastrointestinal pathologies, which are not clearly visible. In particular, they do not provide means for localization and differentiation of occult tumors. Typically, a large tumor is readily located by visualization. Yet, for subsequent operative success, as well as for the success of other forms of treatment, it is necessary to somehow locate tumors in their occult stage, when they cannot be found by sight and feel.

Similarly, lung cancer is the leading cause of cancer death in both men and women in Western society. When detected and treated at an early stage, before it has spread to lymph nodes or other organs, the five-year survival rate is about 42%. However, detection at an early stage is rare. The five-year survival rate for all stages of lung cancer combined is about 14% - a factor of three lower.

Most patients are diagnosed when exhibiting symptoms, for example by bronchoscopy, using an endoscope specifically designed for the lungs. The walls of the bronchial tubes are examined, for example, visually, and small pieces of tissue

20

may be removed for biopsy. Alternatively, needle aspiration biopsy may be performed, by inserting a needle between the ribs to draw cells from the lung. Alternatively, surgery is performed to remove tissue for biopsy. Diagnosis for malignancy is generally made in a laboratory, on the removed biopsy sample, by examination of the characteristics of the cells under a microscope.

However, biopsy of a sample, with diagnosis performed in a laboratory, suffers from inherent disadvantages, as follows:

- i. it is generally performed when symptoms are observed, and the cancer is at an advanced stage;
- ii. it may happen that the biopsy is taken from a region near the tumor, and not the tumor itself, leading to erroneous false negative results;
- iii. the exact location from which the biopsy was taken,
   may be difficult to reproduce; and
- iv. The results of the biopsy examination are not immediate Thus, devices and methods for the early detection of cancerous and precancerous tissue, in vivo, are highly desirable.

#### SUMMARY OF THE INVENTION

The present invention successfully addresses the shortcomings of the presently known configurations by providing a device and method for the detection of abnormalities, using an electromagnetic probe, mounted on an endoscope. The endoscope may be designed for insertion in a body lumen, for example, an oral cavity, a gastrointestinal tract, a rectum, a colon, bronchi, a vagina, a cervix, a urinary tract, blood vessels, or another body lumen. Additionally or alternatively, it may be designed for insertion in a trucar valve.

Unless otherwise defined, all technical and scientific terms used herein have the same meaning as commonly understood by one of ordinary skill in the art to which this invention belongs. Although methods and materials similar or equivalent to those described herein can be used in the practice or testing of the present invention, suitable methods and materials are described below. In case of conflict, the patent specification, including definitions, will control. In addition, the materials, methods, and examples are illustrative only and not intended to be limiting.

#### BRIEF DESCRIPTION OF THE DRAWINGS

The invention is herein described, by way of example only, with reference to the accompanying drawings. With specific reference now to the drawings in detail, it is stressed that the particulars shown are by way of example and for purposes of illustrative discussion of the preferred embodiments of the present invention only, and are presented in the cause of providing what is believed to be the most useful and readily understood description of the principles and conceptual aspects of the invention. In this regard, no attempt is made to show structural details of the invention in more detail than is necessary for a fundamental understanding of the invention, the description taken with the drawings making apparent to those skilled in the art how the several forms of the invention may be embodied in practice.

In the drawings:

FIGs. 1A and 1B schematically illustrate an overall endoscopic system, in accordance with the present invention;

FIG. 2 schematically illustrates the intracorporeal portion of the endoscopic system, in accordance with the present invention;

FIGs. 3A - 3C schematically illustrate further the intracorporeal distal tip of the endoscopic system, in accordance with the present invention; and

FIGs. 4A-4D further illustrate the endoscopic system, in accordance with the present invention.

## DESCRIPTION OF THE PREFERRED EMBODIMENTS

The present invention is of a device and method for the detection of abnormalities, using an electromagnetic probe, mounted on an endoscope. The endoscope may be designed for insertion in a body lumen, for example, an oral cavity, a gastrointestinal tract, a rectum, a colon, bronchi, a vagina, a cervix, a urinary tract, blood vessels, or another body lumen. Additionally or alternatively, it may be designed for insertion in a trucar valve.

The principles and operation of the device and method according to the present invention may be better understood with reference to the drawings and accompanying descriptions.

Before explaining at least one embodiment of the invention in detail, it is to be understood that the invention is not limited in its application to the details of

construction and the arrangement of the components set forth in the following description or illustrated in the drawings. The invention is capable of other embodiments or of being practiced or carried out in various ways. Also, it is to be understood that the phraseology and terminology employed herein is for the purpose of description and should not be regarded as limiting.

Referring now to the drawings; Figures 1A and 1B illustrate an overall endoscopic system 10, in accordance with the present invention.

The endoscopic system 10 preferably includes an extracorporeal control station 20, having a control unit 22, a display screen 24, and possibly also, a keyboard 26. The control station 20 may be placed on a rack 28. Alternatively, a hand-held device, or a laptop system, as known, may be used.

Additionally, the endoscopic system 10 includes an endoscope 30, having an extracorporeal portion 34, which preferably includes a manipulator 36, for manipulating the endoscope 30, and a connector 38, for connecting to the extracorporeal control station 20.

Furthermore, the endoscope 30 includes an intracorporeal portion 32, designed for insertion into a body lumen or a trucar valve, and formed as a flexible tubing 40, having a distal tip 42, with respect to an operator (not shown).

The manipulator 36 is preferably, handheld. It may include both mechanical and electrical control features, for controlling the position of the tubing 40 and its tip 42. Preferably, the manipulator 36 may apply to the flexible tubing 40 both lateral motion, as seen by the arrow 31, and rotational motion, as seen by the arrow 33.

Referring further to the drawings, Figure 2 schematically illustrates the intracorporeal portion 32 of the endoscopic system 10, in accordance with the present invention.

Preferably, the flexible tubing 40 of the intracorporeal portion 32 includes an instrument channel 44. Additionally, a sensor 52, mounted on a connection bundle 50, is inserted in the instrument channel 44, preferably, within a catheter 48.

The sensor 52 is an electromagnetic sensor for tissue characterization, for example, as taught in commonly owned US Patent 6,813,515, to Hashimshony, entitled, "Method and system for examining tissue according to the dielectric properties thereof," whose disclosure is incorporated herein by reference. It will be

appreciated that in accordance with the present invention, other electromagnetic sensors may be used.

It will be appreciated that generally, the flexible tubing also includes an optical channel 46, for the optical instrument 43, having an optical connection bundle 45. Preferably, tissue characterization is performed both visually, by the optical instrument 43, and via the sensor 52. However, the present invention may be operable also without the optical channel 46 and without the optical instrument 43.

Referring further to the drawings, Figures 3A-3C schematically illustrate the intracorporeal distal tip 42 of the endoscopic system 10, in accordance with the present invention.

Preferably, the catheter 48 has a distal tip 47, which may extend beyond the distal tip 42 of the flexible tubing 40. Additionally, the catheter 48 may be manipulated, independent of the tubing 40, via the connection bundle 50, as seen in Figures 3A – 3C, so that the sensor 52 may be brought in contact with a specific location of a tissue 60, such as the inner wall of a body lumen, for example, for characterizing a suspected anomaly 62, as seen in Figures 3A and 3B. The manipulation of the catheter 48 may be mechanical, for example, via wires, or electronic, as known.

Additionally, the sensor 52 may be brought in contact with a healthy portion of the tissue 60, as seen in Figure 3C, for characterization of a reference tissue.

Referring further to the drawings, Figures 4A - 4D further illustrate the endoscope 30, of the endoscopic system 10, in accordance with the present invention.

As seen in Figure 4A, the endoscope 30 may be inserted in a body lumen 64, for characterizing the tissue 60 formed as the walls of the body lumen 64. The insertion may be via a body opening 66, such as a mouth, a nose, or another body opening or orifice.

As seen in Figure 4B, the endoscope 30 may be inserted percutaneously, through a skin 68, and then into the body lumen 64, for characterizing the tissue 60 formed as the walls of the body lumen 64. For example, when the body lumen 64 is a blood vessel.

Additionally, as seen in Figure 4B, the tissue which is characterized may be at a lumen junction 65.

7.

As seen in Figures 4C and 4D, the endoscope 30 may be inserted via a trucar valve 35, through the skin 68, for characterizing the tissue 60, for example, during a minimally invasive surgery.

In accordance with the present invention, the tissue 60, which is characterized by the sensor 52 may be the walls and (or) junctions of the body lumen 64, the walls of other body cavities which may be reached by body lumens, for example, the stomach or the uterus, or open flesh, during a minimally invasive surgery.

In accordance with a first embodiment, the sensor 52 may be guided along the body lumen 64, characterizing the tissue 60, substantially along the full length of it.

Alternatively, the sensor 52 may be guided along the body lumen 64, characterizing the tissue 60, along predetermined portions of it.

Additionally or alternatively, it may happen that the optical instrument 43 detects the suspected anomaly 62, visually, and the sensor 52 is manipulated so as to be brought in contact with the suspected anomaly 62 and characterize it.

Additionally or alternatively, other imaging modalities, such as x-ray, MRI, ultrasound, or another non-invasive modality, detects the suspected anomaly 62, and the sensor 52 is manipulated so as to be brought in contact with it and characterize it.

Alternatively, as seen in Figures 4C and 4D, during a minimally invasive surgery, the sensor 52 may be used in two manners, as follows:

- i. for characterizing the tissue 60 and identifying the anomaly 62; and
- ii. during the removal of the anomaly 62, by a surgical instrument 70, characterizing a wall of a cut 72, to ensure that it is formed of a healthy tissue, and that the anomaly 62 is contained within.

It will be appreciated that the endoscope 30 may be a multi-channel endoscope, so that several instruments, for example, the optical instrument 43, the sensor 52, and another instrument, for example, the surgical instrument 70 may operate together. Alternatively, only one or two channels may be available, and instruments are pulled out and replaced with other instruments, as needed.

Preferably, the sensor 52 is visible on other imaging modalities such as x-rays, ultrasound and MRI, and may be guided using another imaging modality, so that it can be guided to zones which are not accessible to the optical instrument 43, or in cases where the optical instrument 43 is not used.

15

8

Preferably, the catheter 48 is between about 0.5 and about 4 mm in diameter. It will be appreciated that other dimensions, which may be larger or smaller, may similarly be used. Preferably, the sensor 52 is between about 0.4 and about 3 mm in diameter. Again, it will be appreciated that other dimensions, which may be larger or smaller, may similarly be used.

Preferably, the connection bundle is about 2 mm in diameter. Yet other dimensions which may be larger or smaller, may also be used. Preferably the connection bundle includes a power cable, data cables, and mechanical control cable.

The measurement is preferably performed by reflection of electromagnetic fields from the near vicinity of the sensor 52, for example, as taught in commonly owned US Patent 6,813,515, to Hashimshony, entitled, "Method and system for examining tissue according to the dielectric properties thereof," whose disclosure is incorporated herein by reference. It will be appreciated that in accordance with the present invention, other electromagnetic sensors may also be used.

Preferably, the control unit 22 of the extracorporeal control station 20, analyzes the reflection and displays results. It will be appreciated that another computer may be used, as known. The results may be used for characterization of the tissue 60, such as the lumen wall 60, for example, the broncos wall 60, and the anomaly 62. The results may be produced graphically, numerically, or as positive or negative answers. The results may also be presented textually.

The results may be relative, that is a comparison between the anomaly 62 of different types and the reference tissue 60, or several references of the tissue 60 taken from different locations. Alternatively, the results may be based on literary data, in which the tissue is characterized based on previous tests and (or) data found in the literature.

The tissue characterization relating to the anomaly 62 may relate to the detection of a malignancy, or a pre-cancerous state. Additionally or alternatively it may relate to the detection of another pathology, for example, internal bleeding.

In accordance with the present invention, the endoscope 30 may be designed for insertion in a body lumen, for example, an oral cavity, a gastrointestinal tract, a rectum, a colon, bronchi, a vagina, a cervix, a urinary tract, blood vessels, or another body lumen. Additionally or alternatively, it may be designed for insertion in a trucar valve.

It is expected that during the life of this patent many relevant devices and methods for tissue characterization in a body lumen, using an electromagnetic probe, mounted on an endoscopic device, may be developed and the scope of the present invention is intended to include all such new technologies a priori.

As used herein the term "about" refers to  $\pm 20$  %.

It is appreciated that certain features of the invention, which are, for clarity, described in the context of separate embodiments, may also be provided in combination in a single embodiment. Conversely, various features of the invention, which are, for brevity, described in the context of a single embodiment, may also be provided separately or in any suitable subcombination.

Although the invention has been described in conjunction with specific embodiments thereof, it is evident that many alternatives, modifications and variations will be apparent to those skilled in the art. Accordingly, it is intended to embrace all such alternatives, modifications and variations that fall within the spirit and broad scope of the appended claims.

All publications, patents and patent applications mentioned in this specification are herein incorporated in their entirety by reference into the specification, to the same extent as if each individual publication, patent or patent application was specifically and individually indicated to be incorporated herein by reference. In addition, any citation or identification of any reference in this application shall not be construed as an admission that such reference is available as prior art to the present invention.

#### WHAT IS CLAIMED IS:

- A device for tissue characterization, comprising:

   an endoscope, having a lumen, operative as an instrument channel; and
   an electromagnetic sensor for tissue characterization, said sensor having a connection bundle, and said sensor being inserted in said instrument channel.
- 2. The device of claim 1, wherein said endoscope further includes an optical channel for visual tissue characterization.
- 3. The device of claim 1, wherein said endoscope is designed for insertion in a body lumen.
- 4. The device of claim 3, wherein the body lumen is selected from the group consisting of an oral cavity, a gastrointestinal tract, a rectum, a colon, bronchi, a vagina, a cervix, a urinary tract, and blood vessels.
- 5. The device of claim 1, wherein said endoscope is designed for insertion in a trucar valve.
- 6. The device of claim 1, wherein tissue characterization relates to the detection of a malignancy.
- The device of claim 1, wherein tissue characterization relates to the detection of a pre-cancerous state.
- 8. The device of claim 1, and further including a catheter, wherein said sensor is inserted into said catheter, and said catheter is inserted into said instrument channel.
- 9. The device of claim 1, wherein said catheter extends beyond a distalmost end of said endoscope, with respect to an operator, and a distal-most end of said catheter may be manipulated independently of said distal-most end of said endoscope.

 A method for tissue characterization, comprising: providing an endoscope, having a lumen, operative as an instrument channel;

inserting an electromagnetic sensor for tissue characterization, having a connection bundle, in said instrument channel.

- The method of claim 10, wherein said endoscope further includes an optical channel for visual tissue characterization.
- 12. The method of claim 10, wherein said endoscope is designed for insertion in a body lumen.
- 13. The method of claim 12, wherein said endoscope is designed for insertion in a body lumen, selected from the group consisting of an oral cavity, a gastrointestinal tract, a rectum, a colon, bronchi, a vagina, a cervix, a urinary tract, and blood vessels.
- 14. The method of claim 10, wherein said endoscope is designed for insertion in a trucar valve.
- 15. The method of claim 10, wherein tissue characterization relates to the detection of a malignancy.
- 16. The method of claim 10, wherein tissue characterization relates to the detection of a pre-cancerous state.
- 17. The method of claim 10, and further including a catheter, wherein said sensor is inserted into said catheter, and said catheter is inserted into said instrument channel.

- 18. The method of claim 10, wherein said catheter extends beyond a distalmost end of said endoscope, with respect to an operator, and a distal-most end of said catheter may be manipulated independently of said distal-most end of said endoscope.
- 19. The method of claim 10, wherein the tissue characterization is performed together with visual observation.
- 20. The method of claim 10, wherein the tissue characterization is performed together with another modality, selected from the group consisting of x-ray imaging, MRI, and ultrasound.
- 21. The method of claim 20, wherein said sensor is visible on said another modality.

:13

## ABSTRACT OF THE DISCLOSURE

A device and method for tissue characterization in a body lumen, are provided, for the detection of abnormalities, using an electromagnetic probe, mounted on an endoscope. The endoscope may be designed for insertion in a body lumen, for example, an oral cavity, a gastrointestinal tract, a rectum, a colon, bronchi, a vagina, a cervix, a urinary tract, blood vessels, or another body lumen. Additionally or alternatively, it may be designed for insertion in a trucar valve.

Express Mail Label No.

Page 1 of 4

Docket No. 28984

## **Declaration and Power of Attorney For Patent Application**

## **English Language Declaration**

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

## METHODS COMPOSITIONS AND ARTICLES OF MANUFACTURE FOR MODULATING BONE GROWTH

		HODOLA	1 TIAG BOIRE GKOM (M	
the s	pecification of v	which		
Ø	is attached he	ereto.		
	was filed on _		as United States Application No. or PCT	•
	International A			
	and was amend	led on		
I ackn known Section availate date of	owledge the dut to me to be m n 1.56. Includ the between the f the continuation	y to disclose to the Unaterial to patentabil ling for continuation- filing date of the prion-in-part application.	der Title 35 United States Code, Section 110/-	ermation ulations, became nal filing
any Postantes, patent	T International listed below and	application which d have also identified tificate or PCT Intern	of for patent or inventor's certificate, or Section 119(a) for patent or inventor's certificate, or Section 36 lesignated at least one country other than the below, by checking the box, any foreign applicational application having a filing date before that	55(a) of United
Prior F	oreign Applicat	ion(s)	Priority Not Cl	aimed
(Numbe	er)	(Country)	(Day/Month/Year Filed)	
•	•	(202,)	(Day/Honthy Year Filed)	
Numbe	er)	(Country)	(Day/Month/Year Filed)	
um PTO-Si	B-01 (9-95) (Nodified)	Copyright 1994-95 Legalsoft		
	,, ,,,,		POZ/REVOZ Patent and Trademark Office-U.S. DEPARTMENT OF	COMMERCE

ection 119(e) of any  13 Sept	<u>tember 20</u> 6	
		02
		<u> </u>
(riilig D	ale)	
<u> 6 June :</u>	2002	<b></b>
(Filing Da	ate)	
(Filing Da	ate)	<u>-</u>
o disclose to the On material to patentab the filing date of the on:	ited States	Patent and Trademar
iling Date)	(pater	(Status) ited, pending, abandoned)
iling Date)	(paten	(Status) ted, pending, abandoned)
iling Date)		(Status)
		ed, pending, abandoned)  are true and that all
	(Filing Date)  Section 120 of an action designating the claims of this applied in the manner properties of the United States of the United States of the Sta	June 2003 Filing Date) (paten

Page 3 of 4

28984

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. (list name and registration number)

Martin MOYNIHAN

Registration Number 40,338

Send Correspondence to: Martin MOYNIHAN

c/o ANTHONY CASTORINA

2001 JEFFERSON DAVIS HIGHWAY, SUITE 207

ARLINGTON, VIRGINIA 22202

Direct Telephone Calls to: (name and telephone number)

**Anthony Castorina** 

Tel. No. (703) 415-1581 Fax No. (703) 415-4864

FULL NAME OF SOLE	OR FII	RST INVENTOR	It	ai BAB			
Sole or first inventor's signature						Date	
Residence	:	26 Hateena Stre	et. 9979	7 Karmei Yossef	Terapl	<del></del>	
Citizenship	:	Israeli		- 112111101 100301	, ASIGCI		
Post Office Address	:	26 Hateena Stre	et, 99797	7 Karmei Yossef	Israel	<del></del>	

FULL NAME OF SECON	VD INV	ENTOR , IF ANY	Raphael MECHOULAM		
Second inventor's sig	gnature	•	Date		
Residence	: .	12 Tchernichovs	ky Street, 92581 Jerusalem, Israel		
Citizenship		Israeli	y outed sciusticily, israel		
Post Office Address	:	12 Tchernichovsl	cy Street, 92581 Jerusalem, Israel		

FULL NAME OF THIRD	INVEN	TOR, IF ANY Andreas ZIMMER	
Third inventor's sign	ature	mac of dring	Date Jan 4, 2004
Residence	:	Von-Halberg-Strasse 2, Bonn 53125, Germany	
Citizenship	:	German	
Post Office Address	:	Von-Halberg-Strasse 2, Bonn 53125, Germany	
Com Pro-Co-ps (c ors two			

Form PTO-SB-01 (6-95) (Modified)

Patent and Trademark Office-U.S. DEPARTMENT OF COMMERCE

